


HONEY PROCESSING EQUIPMENT

Made of high-quality 304 stainless steel, in line with national QS food hygiene standards

Honey processing machine adopt an electric heating or steam heating structure, automatic temperature control, and vacuum feed, the device not only can concentrate but can sterilization, this equipment adopts 304 stainless steel, easy to operate, reliable operation, highly efficient, vacuum suction honey, can achieve higher vacuum degree and low concentrated temperature, is the ideal of honey processing equipment. Equipment includes a preheating tank, filters, concentrator, condenser, and vacuum pump.





WORKING PRINCIPLE


Taking advantage of the property that the boiling point of honey decreases at low temperatures, the excess water in the honey is evaporated at a relatively low temperature under vacuum; at the same time, the auxiliary equipment provided is used to complete the treatment processes of honey removal, sterilization and crystal nucleation.

This equipment uses a gentle water bath heating method, crystal nucleation technology, and a rising film decompression evaporation process to ensure that the quality of honey is not damaged during the processing process.

It has the advantages of a beautiful appearance, easy installation, convenient operation, safety and reliability, cleaner water extraction, and higher honey purity. It is made of 304 stainless steel and meets the national QS food hygiene standards. It is an excellent equipment to improve efficiency, shorten time, reduce costs, and improve labor.

FEATURES

DETAILS SHOW



Stirring motor



Vacuum pump



Vacuum gauge



Filter net



Discharge port



Observation window



Pipe filter
(Fine filter)



Wlectric control

TECHNICAL PARAMETERS



Model	FM600	FM400
Production capacity	1.2-1.5 t/8h	0.5 t/8h
Machine diameter	1750*600*1660 mm	1600*500*1555 mm
Tank diameter	600 mm	400 mm
Thank height	600 mm	600 mm
The overall volume	140 L	70 L
Effective volume	120 L	60 L
Preheat tank power	6 KW	6 KW
Volume concentration tank power	9 KW	6 KW
Vacuum pump power	1.5 KW	1.5 KW



PHYSICAL DISPLAY




THE SERVICES WE CAN PROVIDE

Sanyuantang Machine Co., Ltd. has been engaged in foreign trade export for more than 10 years. Its rich export experience ensures that you have worry-free purchasing.

When you cooperate with us, you can enjoy:

- ① Timely response through various communication tools.
- ② Professional technical guidance to choose the most suitable product for you.
- ③ Economical transportation scheme to cut down transportation cost.
- ④ Thoughtful after-sales tracking service from the installation to the daily maintenance.



Xinxiang Sanyuantang Machine Co., Ltd.

website: www.vibrationsieve.com

Add: No. 811, Qingnian Road, Qiliying Town, Xinxiang County,
Henan Province China.

Email: info@sanyuantang.com

Whatsapp/ Wechat: 0086 18639095165